

Academy: HAZEL SLADE PRIMARY A	ACADEMY				Prepared By: C Leach APT H8 Completed By: SACamacho	kS C		Date: 14 26/8/20		0 reviewed
Activity Workplace: Novel Coronavi Revision: 6 14-07-2020 effective fro Whole assessment revised for full of Information Source: GOV.UK Actions for schools during the coron 2 nd July 2020	m Autumn Term 2020	ning. Pul	olished	Manager:				Next Ar Date:	inual R	Review
Haz	ard	Initi	al risk			Action plan			Residu	ual risk
Details of hazard	Who is affected and how?	Likelihood	R i s k L / / M	What controls are already in place	Further action required	By whom	By when	Likelihood	Consequence	Risk L/M/H



Awareness and understanding	Staff	4	4		1.Staff, pupils, parents, visitors and contractors with	One way system is	All staff	September 2020	1	4
_				9	symptoms or those who have been in close contact	remaining in place.				
Transmission /	T upilo				with persons or they have someone in their household					
Spread of Germs and Novel	Parents				who has symptoms of Coronavirus (COVID-19) or who	Reduction in visitors to the				
Coronavirus (COVID-19)	Visitors				has tested positive in the last 7 days are advised that	site				
	 Contractors 				they MUST not attend the school, they must stay at					
Coronavirus can be passed					home, self-isolate and follow PHE Stay at Home	Continued distances put				
through close contact with	Symptoms				guidance and NHS Test and Trace process.	into place.				
persons infected by the virus.	Continuous cough				2.Regular GOV.UK Coronavirus (COVID-19) and NHS					
Touching surfaces contaminated	High temperature (over 37.8				Test and Trace latest information briefings to all staff.	Control measures in place				
with the virus with hands and	degrees) Loss of, or change to the				3.COVID-19 risk assessment and revisions	around corridors and on				
touching eyes, nose and mouth	sense of smell (anosmia)				communicated to staff. 4.Signs	number of pupils visiting				
and eating with contaminated					S	the toilet				
hands.	Affects				at all entry gates and external doors advising all	All state on take attended to				
	Mild flu symptoms				persons with symptoms or persons with someone in	All visitors into site must be				
	Respiratory infection				their household who has symptoms of coronavirus	by prior arrangement.				
	Breathing difficulties				(COVID-19) or has tested positive in the last 7 days					
	Asthma				MUST not attend the school, self-isolate and follow					
	Fatality				PHE Stay at Home guidance and NHS Test and Trace					
					process. 5.Signs at all entry gates and					
					external doors advising all persons of 2-meter social					
					distancing rule where possible or 1-meter distancing					
					plus using additional measures.					
					6.Latest PHE Coronavirus (COVID-19) social distancing,					
					hygiene and testing posters displayed in staff					
					areas/visitor areas, entrances, classrooms and toilets.					
					7.Latest PHE Coronavirus (COVID-19) leaflets					
					distributed to staff. 8.Pupils reminded					
					regularly to tell a member of staff if they feel unwell.					
					9.e-Bug resources to teach pupils and parents about					
					hygiene. 10.Talks given to children					
					about coronavirus (COVID-19), teaching groups, social					
					distancing and not to touch staff.					
					11. Pupils with SEND provided with specific help in					
					preparation for changes. 12.Parents,					
					contractors and visitors informed of the measures in					
					place to reduce transmission of the virus. 13.Staff,					
					parents, visitors and pupils informed requirements to					
					remove face mask safely on arrival at school.					
					•					
					14.Arrangements discussed with staff and pupils					
					traveling overseas. When returning from overseas					
					travel the latest Government guidance on quarantine					
					to be followed. 15.Behavior policies					
					with rules for hygiene and social distancing and					
		ii .	i	1	Il consequences for near behaviour communicated to	Ī	1	i e	ll .	1
					consequences for poor behaviour communicated to staff, pupils and parents.					



Staff/pupils who are confirmed clinically vulnerable or extremely clinically vulnerable. Staff/pupils who live with someone who is confirmed clinically vulnerable or extremely clinically vulnerable	 Staff Pupils Symptoms Continuous cough High temperature (over 37.8 	4	5	VERY HIGH	1.Where staff are confirmed extremely clinically vulnerable and social distancing cannot be maintained in the workplace, working arrangements are adjusted. 2.Staff whilst attending school maintain good social distancing and good hygiene practises. 3.Pupils whilst attending school are monitored for good.	Risk Assessments for staff carried out as necessary on return to work	SC and staff	On return in September	2	5	НСН
Long-term conditions like diabetes, cancer and chronic lung disease. Underlying health problems Expectant mothers	degrees) Loss of, or change to the sense of smell (anosmia) Affects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality				social distancing and good hand hygiene practises. 4. Monitoring of pupils and staff compliance with clinical and/or public advice regarding shielding during periods where infection rates remain high. 5. Pupils have Care Plans reviewed and amended to ensure child is not put at risk of coronavirus (COVID-19) infection. 6. Staff instructed not to supervise children who have been isolated at school when showing coronavirus infection (COVID-19)						
Transmission / Spread of Germs and Novel Coronavirus (COVID-19)					symptoms. 7.Concerns discussed with SLT when shown by staff, pupils, parents especially for pupils and staff with significant risks.						
Coronavirus can be passed through close contact with persons infected by the virus. Touching surfaces contaminated with the virus with hands and touching eyes, nose and mouth and eating with contaminated hands.											



Travel to and from school	Staff	4	4	I	1.Staff who can work remotely or from home do so.	Staff all have their own	All staff	1	4	>
	Pupils			₽	2.Non-essential use of public transport avoided when	travel arrangements for				ГОМ
Transmission /	·				possible. 3.Travel alone using own	coming into school.				_
Spread of Germs and Novel	Parents				transport / cycle or walk when possible					
Coronavirus (COVID-19)	 Visitors 				4. When the use of shared transport is unavoidable					
Comment to the comment	 Contractors 				persons are advised to: a. travel with as few people					
Coronavirus can be passed					as possible, b. travel with the same persons each day					
through close contact with persons infected by the virus.	Symptoms				when possible, c. wash hands with soap and water or					
Touching surfaces contaminated	Continuous cough				hand sanitiser before using transport, d. persons over					
with the virus with hands and	High temperature (over 37.8				the age of 11 wear face coverings over the nose and					
touching eyes, nose and mouth	degrees) Loss of, or change to the				mouth, e. sit as far away from other persons as					
and eating with contaminated	sense of smell (anosmia)				possible, f. try to face away from other persons, g.					
hands.	Affects				open windows to give good ventilation, h. avoid					
	Mild flu symptoms				touching anything, i. cough or sneeze into a tissue and					
	Respiratory infection				put it in a bin, j. wash hands with soap and water or					
	Breathing difficulties				hand sanitiser after using transport 5.Cleaning and					
	Asthma				disinfecting of shared vehicle interiors carried out on a					
	Fatality				regular basis using standard cleaning products.					
					6. When the use of public transport is required persons					
					are advised to use a face covering and where possible					
					and try to maintain 2- meter distance or maintain 1-					
					meter distance and use precautions as follows:					
					a. avoid peak travel where possible, b. wash or sanitise					
					your hands during/after using transport, c. avoid					
					touching your face, d. cover your mouth and nose with					
					a tissue or the inside of your elbow when coughing or					
					sneezing, e. travel side by side or behind other					
					people, rather than facing them, where seating					
					arrangements allow, f. touch as few surfaces as					
					possible, g. minimise the time spent close to other					
1					people, where possible, h. avoid loud talking, shouting					
					or singing, i. dispose of waste safely,					
1					including items such as used disposable face coverings.					
1					<u> </u>					



Pupils and staff access and egress and moving around the school Transmission / Spread of Germs and Novel Coronavirus (COVID-19) Coronavirus can be passed through close contact with persons infected by the virus.	 Staff Pupils Parents Visitors Contractors Symptoms Continuous cough High temperature (over 37.8 degrees) Loss of, or change to the sense of smell (anosmia) Affects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality	4	4	HOIH	1.Grouping of pupils and staff where teaching requirements allow 2.Staggered start and finish times for staff and pupil groups and/or segregated entrance and exit gates and doors when available. 3.Arrangements communicated to parents for drop off and collection procedures to reduce contact between adults/pupils including not gathering at gates or doors. 4.Social distancing (2-meter) markings and signs at queuing locations (school gates, entry and exit doors) 5.Infrared temperature checks of pupils carried out at the start of the day in classrooms". Staff wear a fluid resistant surgical mask and disposable latex free gloves whilst testing. Persons with high temperature readings are isolated, sent home to self-isolate and required follow PHE Stay at Home guidance and NHS Test and Trace process. 6.Distancing between staff and pupils, other staff, contractors and visitors maximised by use of signs and maintaining social distancing of 2 meters when possible. 7.Numbers of different temporary staff including teaching staff and sports coaches entering the school premises minimised. 8.Timetable reviewed to reduce movement and avoid contact between teaching groups during movement around the building. 9. Accessing rooms from outside where possible. 10.Entrance, exit and internal doors held open without compromising pupil or staff safety. Fire doors held open using automatic release devices that release on the sounding	Phases are 'bubbles' to allow the school to function Staggered start and end times and different exits being used to reduce the number of people in one area Any movement between classes is restricted Assemblies and parents events temporarily suspended Staff to maintain distance between themselves and pupils in an appropriate manner. Staggered lunch times	All staff	September	1	4	ГОМ	
					pupil or staff safety. Fire doors held open using							



Visitors, Parents Delivery drivers Contractors Transmission / Spread of Germs and Novel Coronavirus (COVID-19) Coronavirus can be passed through close contact with persons infected by the virus. Touching surfaces contaminated with the virus with hands and touching eyes, nose and mouth and eating with contaminated hands.	 Staff Pupils Parents Visitors Contractors Symptoms Continuous cough High temperature (over 37.8 degrees) Loss of, or change to the sense of smell (anosmia) Affects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality 	4	4	15)H	1.Secure gates and access doors outside of start and finish times to control access. 2.Separate access and egress doors away from pupil doors. 3.Parents, visitors and contractors are asked by school staff if they, or someone they have had close contact with or someone in their household has symptoms of Coronavirus (COVID-19) or has tested positive in the last 7 days. If confirmed they are denied access and advised that they MUST not attend the school, they must stay at home, self-isolate and follow PHE Stay at Home guidance and NHS Test and Trace process. 4.School guidance on physical distancing and hygiene provided on arrival. 5.Records (name, date, contact number and email address) kept for 21 days. 6.Hand washing/sanitising on arrival, before and after using attendance recording devices and using toilets. 7.Infared temperature checks carried out on arrival. 8.Additional COVID-19 control measure training given to school hosts. Contractors 1.Contractors delivering services using school facilities, such as catering and cleaning asked to provide copies of their risk assessment for managing exposure to COVID-19. 2.School information sharing with contracted catering and cleaning services to reduce exposure to COVID-19. 3. Arrange times that contractors are on site to minimise numbers at any one time, when possible outside of school hours. Visitors/Parents 1.Meetings held when it is necessary and remote contact cannot be used. Meetings held either off-site, outdoors or in open spaces with good ventilation with open windows for short durations whilst maintaining social distancing with the least amount of people. 2.Access to the school allowed by prior appointment only. 3.Numbers limited and access to building controlled. Delivery drivers 1.Times arranged so that minimum amount of delivery drivers are on site to at any one time. 2.Delivery drivers to remain in vehicles where it is safe for staff to load/unload vehicles. 3.Staff to wear fluid resistant surgical mask and latex free gloves if unable to	Parents drop of on the playground – no access into school Entrance into school is by appointment only Hand gel is available in the entrance area and must be applied before anyone comes into school. Handwashing is encouraged	All staff Office and Site Manag er	From Septemb er 2020			MEDIUM
---	---	---	---	------	---	--	--	----------------------------	--	--	--------



Staff, pupils showing	• Staff	5	4		Whilst at school	All	Sept	2	4	5
coronavirus infection	Casualty			SLT, self-isolate at home and follow NHS Test and Trace process using when available Government	 moved to an 					5
(covid-19) symptoms	Casualty			supplied home test kit provided by the school or sent for testing when kits are not available.	isolated area					
whilst at school	Symptoms			道 2.Pupils at school who develop symptoms of coronavirus infection (COVID-19) are placed in a safe						Σ
	Symptoms			isolation location and parents informed to collect the child. Parents requested to follow NHS Test and	If a pupil is ill					
	Continuous cough			Trace process using when available Government supplied home test kit provided by the school or sent for	the adult who is					
	High temperature (over			testing when kits are not available.	dealing with					
	37.8 degrees) Loss of, or			NHS Test and Trace process and carryout a test using home test kit provided by the school.	the pupil is in					
Transmission /	change to the sense of			3.Staff with conditions that mean they are in an extremely clinically vulnerable or clinically vulnerable	PPE					
Spread of Germs and	smell (anosmia)			health group avoid supervising children who have been isolated at school for showing coronavirus	PPE correctly					
Novel Coronavirus	A 66			infection (COVID-19) symptoms. 4.Should staff or children develop coronavirus (COVID-19)	removed – refer					
(COVID-19)	Affects			symptoms whilst at school and experience breathing difficulties call an ambulance, dial 999 and inform	back to					
	Mild flu symptoms			the call handler or operator that the person has coronavirus (COVID-19) symptoms.	guidance					
Coronavirus can be passed	Respiratory infection									
through close contact	Breathing difficulties Asthma			5.Isolation locations are at least 2 metres away from other people and where possible in a room or area						
with persons infected by				behind a shut door, such as a staff office or meeting room. 6.Isolation locations have a						
the virus.	Fatality			window that can be opened to provide ventilation. 7.Isolation locations have a supply of disposable						
Touching surfaces				tissues, foot operated bin with bin bag, anti-bacterial wipes, sink with liquid soap and disposable hand						
contaminated with the				towels or hand sanitiser 60% alcohol, face masks with an FFP2 or FFP3 or N95 rating when available or						
virus with hands and				fluid resistant surgical masks, latex free disposable gloves, disposable aprons, face visor or safety goggles						
touching eyes, nose and				8.Staff instructed on the safe "donning and doffing" of PPE. Putting on PPE video						
mouth and eating with				https://www.youtube.com/watch?v=of73FN086E8						
contaminated hands.										
				Taking off PPE video https://www.youtube.com/watch?v=PQxOc13DxvQ						
				HSE guidance – using disposable respirators 9. Consideration given to using first aiders to supervise pupils to						
	PDF			reduce numbers of staff who need access to PPE. 10.Staff supervising isolated children remain at least 2						
				meters from the child. 11. When a 2-meter safe distance cannot be maintained staff to wear PPE FFP2, FFP3 or N95 tight-						
	disposable-respirat or.pdf			fitting face mask when available visor or goggles, gloves, apron). 12.Users of FFP2, FFP3 or N95 tight fitting face						
	or.pui			mask should be face fit tested for compatibility and clean shaven were the mask seals to the face. Fit testing video						
				https://youtu.be/iVVITBcN5eA 13.Isolated children advised not to touch people, surfaces and objects.						
				14. Isolated children advised to cover their mouth and nose with a disposable tissue when they cough or sneeze and put						
				the tissue in the bin or in a bag or their pocket for disposing in a bin later. 15.If tissues are not available, children						
				advised to cough and sneeze into the crook of their elbow. 16.Isolated children use a separate bathroom if available.						
				17.Once vacated places of isolation and bathrooms used by the isolated person will be cleaned and disinfected in						
				accordance with PHE "Decontamination in non-healthcare settings guidance" using standard cleaning products. 18.All waste that has been in contact with the individual, including used tissues, and PPE, put in a plastic rubbish bag and						
				tied when full. The plastic bag then placed in a second bin bag and tied. Waste is put in a secure safe place and						
				marked for storage for at least 72 hours before putting into usual external household waste bin. 19.Staff are to						
				wash their hands thoroughly for 20 seconds with soap and running water or use hand sanitiser after any contact with						
				someone who is unwell. 20.Staff who have helped or been in close proximity to someone with symptoms are						
				advised to isolate at home and follow PHE Stay at Home guidance and NHS Test and Trace process if they develop						
				symptoms or if the symptomatic person subsequently tests positive or they have been requested to do so by NHS Test						
				and Trace. 21.School ask parents and staff to inform them immediately test results are known.						
				22.Contact to be made with the local health protection team by the school when aware that someone who has tested						
				positive for coronavirus (COVID-19) has attended the school. Health protection team Test and Trace and isolation						
				requests followed. 23.GOV.UK template letter provided on the advice of the health protection team is						
				sent to parents and staff if needed. 24.The school will follow health protection team guidance and						
				recommended actions. 25.Plan in place for the possibility of a local lockdown and continuity of education.						
	1				II	I	I	1		1



Hand and respiratory hygiene Transmission / Spread of Germs and Novel Coronavirus (COVID-19) Coronavirus can be passed through close contact with persons infected by the virus. Touching surfaces contaminated with the virus with hands and touching eyes, nose and mouth and eating with contaminated hands. Symptoms Continuous cough High temperature (o 37.8 degrees) Loss or change to the sense smell (anosmia) Affects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality	Provision 1.Hand wash facilities stocked with liquid soap. 2.Hand dryers or disposable paper towels for drying hands 3.Hand sanitiser gel dispensers where sinks are not available e.g. shared spaces, signing in and out locations, entrance and exit points 4.Skin friendly skin cleaning wipes for children with skin conditions and children with complex needs. 5.Supply of disposable tissues available in classrooms, offices, shared spaces. 6.Bins with lids or remote/foot operated lids where available lined with a bin bag in classrooms, offices, shared spaces. 7.Covered bin at entrance for disposal of pupil, staff, parents and visitor temporary face coverings. 8.Plastic bags at entrance for the safe storage of staff, parents and visitor reusable face coverings. 9.PHE "Wash your hands" signs posted in pupil, staff and visitor toilets. 10."Catch it, Bin it, Kill it" posters displayed in toilets, classrooms and staff areas. 11.Support provided for pupils who spit uncontrollably or use saliva as a sensory stimulant. Risk assessment carried out and suitable controls implemented. 12.COSHH Assessment for hand sanitiser communicated to staff Practice 1.Staff dispense hand sanitiser gel to pupils. 2.Skin friendly skin cleaning wipes used by children with skin conditions or children with complex needs. 3.Staff encouraged to wash or sanitise hands, on arrival, before and after removal of face coverings, using signing in and out systems, using the toilet, breaks, sporting activities, food preparation, eating any food, including snacks, before leaving school. 4.Supervision of children to ensure they wash or sanitise hands for 20 seconds with soap and water or hand sanitiser when they arrive at school, before and after removal of face coverings, breaks, when changing rooms, eating, using the toilet. 5.Staff to cover their mouth and nose with a tissue or their sleeve (not their hands) when they cough or sneeze, put tissues in a bin and wash hands 7.Supervision to remind children they should avoid touching eyes, nose, and mouth with	Sustained handwashing for all – inc. on entry to school Hand gel if no sinks available.	SC All	Sept	1	4	MOT
--	--	---	-----------	------	---	---	-----



Cleaning Classrooms Shared spaces Offices Staffrooms Meeting rooms Transmission / Spread of Germs and Novel Coronavirus (COVID-19) Touching surfaces contaminated with the virus with hands and touching eyes, nose and mouth and eating with contaminated hands. Symptoms Continuous cough High temperature 37.8 degrees) Los: change to the sen smell (anosmia) Effects Mild flu symptom Respiratory infect Breathing difficult Asthma Fatality Effects of using had cleaning substance. Irritation of skin a respiratory system damage to eyes a internal organs	touched surface 4.Bins emptied f disinfecting surfic cleaning and dis specified. disinfecting proc Classrooms 1. Resources, su cleaned meticula of reach for a pe different teachir disinfected follo disinfecting of ro preventative fog once a week du Team. Offices, Staffroo 1.Daily cleaning	1.Cleaning schedules reviewed and increased cleaning implemented. wipes/sprays securely stored in classrooms and staff occupied rooms. 3.Frequently is e.g. handrails, door handles cleaned and disinfected before, during and after school frequently to suit usage. 5.Staff wear latex free gloves when cleaning, faces and handling waste such as used tissues, used PPE. 6.Staff using infecting products read COSHH Assessments and follow measures including wearing PPI 7.Staff wash hands thoroughly after removing used PPE and using cleaning and ducts. 8.Cleaning contractor provide COVID-19 Risk Assessment to School Principal Shared spaces ch as books, and games cleaned regularly. 2.Resources that are shared between groups outly between use by different groups or rotated to allow them to be left unused and outly between use by different groups or rotated to allow them to be left unused and outly between use by different groups or rotated to allow them to be left unused and outly between use by different groups or rotated to allow them to be left unused and outly between use by different groups or rotated to allow them to be left unused and outly between use by different groups or rotated to allow them to be left unused and outly between use by different groups or rotated to allow them to be left unused and outly between use by different groups or rotated to allow them to be left unused and outly between use by different groups or rotated to allow them to be left unused and outly between use by different groups or rotated to allow them to be left unused and outly between use and be defined and them to be left unused and outly between use and season and used to allow them to be left unused and outly between use and of the day. 5.Thorough cleaning and 6.Deep clean using gring equipment and disinfectant solution prior to the start of the Autumn school term, uring w/c 31-08-2020 and w/c 7-09-2020 and at the request of the SBMAT Management outly between use and belongings after use.	Sprays / wipes / clothes provided for each room Cleaning team in every evening for whole school cleaning. Continued 'fogging' weekly to give an extra level of cleaning	SC All	Sept			TOM
--	---	--	---	-----------	------	--	--	-----



Use of learning spaces Transmission / Spread of Germs and Novel Coronavirus (COVID-19) Coronavirus can be passed through close contact with persons infected by the virus. Touching surfaces contaminated with the virus with hands and touching eyes, nose and mouth and eating with contaminated hands.	Staff Pupils Parents Visitors Contractors Symptoms Continuous cough High temperature (over 37.8 degrees) Loss of, or change to the sense of smell (anosmia) Affects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality	4 4	1.When circumstances allow teaching group created with fewer pupils than normal class size especially KS1. 2.Pupils remain in their teaching group except for specialist teaching. 3.Staff when possible remain with teaching group to avoid different group contact. 4.Records of pupils and staff in each group, and any close contact that takes places between children and staff in different groups are made and retained for 21 days. 5.Rooms arranged to maintain social distancing space between pupils and staff where possible. Unecessary furniture removed and classrooms arranged with forward facing desks, pupils are seated side by side. 6.Face to face contact avoided. 7.Staff maintain 2-meter distancing from other adults and pupils when possible. 8.At a distance of less than 2-meters contact time between staff and pupils or other staff is minimised. 9.Pupils and staff provided with own stationery to prevent sharing. 10.Classroom based resources, such as books and games, kept within 1 teaching group when possible. 11.Pupils limited on items brought into school to essentials such as lunch boxes, hats, coats, books, stationery and bags. 12.Pupils limited to taking home shared resources, unnecessary sharing avoided. Resources cleaned before being taken home and on return. 13.Contactless drop off points used for issue of materials such as stationery supplies. 14.Outside space used for education where possible following a full and thorough risk assessment. 15.Ventilation in the building maximised by using ventilation units and or opening windows, doors without compromising staff or pupil safety. 16.Assemblies, gatherings or use of classrooms and shared spaces by more than 1 group at the same time avoided. 17.Where possible actions taken for behaviour management will not involve touching a pupil.	All classroom spaces are back in full use and full numbers Not all rooms are large enough to sustain all pupils forward facing however areas are to be kept well ventilated and handwashing maintained		1	4	МОТ
--	--	-----	--	---	--	---	---	-----



Use of offices Staffrooms Meeting rooms Transmission / Spread of Germs and Novel Coronavirus (COVID-19) Coronavirus can be passed through close contact with persons infected by the virus. Touching surfaces contaminated with the virus with hands and touching eyes, nose and mouth and eating with contaminated hands.	 Staff Pupils Parents Visitors Contractors Symptoms Continuous cough High temperature (over 37.8 degrees) Loss of, or change to the sense of smell (anosmia) Affects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality 	4	4	HIGH	General 1.Rooms arranged to maintain 2-meter social distancing space between chairs and tables. 2.Staggered use of to reduce contact with colleagues. 3.Ventilation maximised by using ventilation units and or opening windows, doors without compromising staff or pupil safety. 4.Small offices and storerooms and cupboards accessed by one person at a time. 5.Locker rooms, changing areas and toilets avoided when occupied by other persons. 6.Floor tape to mark areas to help staff/visitors/parents to keep 2-meter distance. 7.Use of hot desks and workspaces avoided 8.Meetings / discussions with others held when it is necessary and remote contact cannot be used. Meetings/discussions held either outdoors or in open spaces with good ventilation with open windows for short durations whilst maintaining social distancing. 9.Screens used to protect reception staff 10.Contactless drop off points used for deliveries and issue of materials such as stationery supplies 11.Equipment not shared unless unavoidable. 12.Shared equipment cleaned before and after use. 13.Solid screens used to segregate staff who work in close proximity. 14.Staff rotation in offices avoided 15.Restrict movement around the school between departments and rooms and use of electronic devices to communicate. Staffrooms 1.Appliances such as kettles, microwave ovens and crockery, utensils handles and controls cleaned before and after use. 2.Staff remain 2-metres apart from each other whilst eating. 3.Staff place own food waste and wrappers in waste bins provided. 4.Wash plates cutlery, before and after use, use a disposable paper towel or allow to air dry and put away after use.	All areas of school are open Lunchtimes are staggered so numbers in the staff room are reduced Adults to maintain distance between themselves and others	SC All staff	Sept	1	4	гом
Lunch service Transmission / Spread of Germs and Novel Coronavirus (COVID-19) Coronavirus can be passed through close contact with persons infected by the virus. Touching surfaces contaminated with the virus with hands and touching eyes, nose and mouth and eating with contaminated hands.	Staff Pupils Visitors Parents Contractors Symptoms Continuous cough High temperature (over 37.8 degrees) Loss of, or change to the sense of smell (anosmia) Affects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality	4	4	HDIH	1.Lunch times staggered for different teaching groups. 2.Pupils wash hands in their teaching groups before eating. 3.Pupils remain in teaching groups and maintain 2-meter social distancing between others when possible. 4.Teaching groups kept apart through distancing. 5. Plates and cutlery thoroughly washed at 70°C between use. 6.Pupils que in their groups at the food servery. 7.Tables cleaned / disinfected by staff between groups 8.Staff wear disposable latex free gloves when serving food and cleaning down 9.Catering contractor provide COVID-19 Risk Assessment to School Principal	As set out	All staff Caterin g staff	Sept	1	4	гом



Break time Transmission / Spread of Germs and Novel Coronavirus (COVID-19) Coronavirus can be passed through close contact with persons infected by the virus. Touching surfaces contaminated with the virus with hands and touching eyes, nose and mouth and eating with contaminated hands.	 Staff Pupils Visitors Parents Contractors Symptoms Continuous cough High temperature (over 37.8 degrees) Loss of, or change to the sense of smell (anosmia) Affects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality 	4	4	HDIH	1.Breaks staggered in teaching groups to limit numbers in corridors and circulation routes 2.Play equipment cleaned between use by different teaching groups. 3.Segregated group areas using barriers/fencing to avoid groups mixing.	Staggered break times in operation for 'cohort bubbles'	All staff	Sept	1	4	row
Providing personal or intimate care to pupils Transmission / Spread of Germs and Novel Coronavirus (COVID-19) Coronavirus can be passed through close contact with persons infected by the virus. Touching surfaces contaminated with the virus with hands and touching eyes, nose and mouth and eating with contaminated hands.	• Staff • Pupils Symptoms Continuous cough High temperature (over 37.8 degrees) Loss of, or change to the sense of smell (anosmia) Affects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality	4	4	HDIH	1.Extremely clinically vulnerable or clinically vulnerable staff advised not to provide close contact personal or intimate care and to maintain 2-meter social distancing from pupils. 2.PPE provided for staff use includes disposable latex free gloves, disposable apron, fluid resistant surgical face mask, face visor or safety goggles. 3.Staff providing personal or intimate care instructed on the safe "donning and doffing" of PPE. Putting on PPE video https://www.youtube.com/watch?v=0f73FN086E8 Taking off PPE video https://www.youtube.com/watch?v=PQxOc13DxvQ 4.Review of Care Plans for pupils who spit uncontrollably or use saliva as a sensory stimulant to assess PPE requirements based on individual circumstances. 5.Hand washing or sanitising by staff and pupils receiving support before and after care is provided. 6.Temprature check of staff and pupil before providing care	Staff to watch videos PPE provided into EY and then central boxes of PPE in other areas of school for use	All staff	Sept	2	4	MEDIUM



Providing first aid Transmission / Spread of Germs and Novel Coronavirus (COVID-19) Coronavirus can be passed through close contact with persons infected by the virus. Touching surfaces contaminated with the virus with hands and touching eyes, nose and mouth and eating with contaminated hands.	● Staff	4	4	HOIH	1. Extremely clinically vulnerable or clinically vulnerable staff advised not to provide first aid. 2. First aiders wash/sanitise hands before and after treating a casualty. 3. Disposable gloves, disposable apron, fluid resistant surgical mask worn when administering first aid. 4. Safety goggles/face visor worn where there is a risk of respiratory droplets splashing into eyes due to repeated coughing or vomiting. 5. First aiders instructed on the safe "donning and doffing" of PPE. Putting on PPE video https://www.youtube.com/watch?v=of73FN086E8 Taking off PPE video https://www.youtube.com/watch?v=PQxOc13DxvQ 6. When performing CPR phone an ambulance and use compression only CPR until the ambulance arrives. 7. If a decision is made to perform mouth-to-mouth ventilation, use a resuscitation face shield where available. 8. In an emergency 999 to be called and the emergency services advised if the injured person is showing COVID-19 symptoms. 9. Staff and parents advised not visit the GP, pharmacy, urgent care center or a hospital if showing COVID-19 symptoms. 10. Assessment of First Aid requirements reviewed.	Staff to watch videos PPE to be used dealing with first aid	All staff	By Septemb er	2	4	MEDIUM
Staff administration of medicines or supervision of pupils who selfadminister. Transmission / Spread of Germs and Novel Coronavirus (COVID-19) Coronavirus can be passed through close contact with persons infected by	• Staff • Pupils Symptoms Continuous cough High temperature (over 37.8 degrees) Loss of, or change to the sense of smell (anosmia) Affects Mild flu symptoms Respiratory infection	4	4	HDIH	1.Temprature check of staff and pupil before providing administer medication. 2.Supervising staff maintain 2m social distance from pupil and other staff assisting. 3.Review medication plans to assess if additional PPE requirements for staff administering medication are required.	Same protocol as first aid	All staff	Sept	2	4	MEDIUM
the virus. Touching surfaces contaminated with the virus with hands and touching eyes, nose and mouth and eating with contaminated hands.	Respiratory infection Breathing difficulties Asthma Fatality										



Transport of pupils and staff using school minibus and coach travel. Transmission / Spread of Germs and Novel Coronavirus (COVID-19) Coronavirus can be passed through close contact with persons infected by the virus. Touching surfaces contaminated with the virus with hands and touching eyes, nose and mouth and eating with contaminated hands.	● Staff ● Pupils ● Vehicle drivers Symptoms Continuous cough High temperature (over 37.8 degrees) Loss of, or change to the sense of smell (anosmia) Affects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality	4	4	HOIH	1.Transport arrangements discussed with providers, SBMAT and parents. 2.Reduction in any unnecessary travel on coaches and minibuses for children and staff. 3.Checks carried out with transport providers that they do not work if they or a member of their household are displaying any symptoms of coronavirus or have tested positive in the last days. 4.Checks carried out to ensure transport providers, as far as possible, follow hygiene rules and try to keep distance from their passengers. 5.Thorough clean of vehicle interiors before and after use and clean of frequently touch items during use. 6.Pupils and staff to be kept in teaching groups where possible when using transport. 7.Infared temperature checks of pupils and staff before travel. Staff wear a fluid resistant surgical mask and disposable latex free gloves whilst testing. Persons with high temperature readings are isolated, sent home to self-isolate, and required to follow PHE Stay at Home guidance and NHS Test and Trace process. 8.Organised queuing and boarding 9.Hand washing/use of hand sanitising gel before entering vehicle and again after travel. 10.Distancing within vehicles wherever possible.	NOT APPLOCABLE			2	4	MEDIUM
Availability of Equipment and PPE Transmission / Spread of Germs and Novel Coronavirus (COVID-19) Coronavirus can be passed through close contact with persons infected by the virus. Touching surfaces contaminated with the virus with hands and touching eyes, nose and mouth and eating with contaminated hands.	Staff Pupils Symptoms Continuous cough High temperature (over 37.8 degrees) Loss of, or change to the sense of smell (anosmia) Affects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality	5	4	VERY HIGH	1.Alcohol-based hand sanitiser containing at least 60% alcohol available where hand wash sinks are not available such as isolation rooms, first aid rooms, shared spaces, entrance and exit points. 2.Latex free gloves available in classrooms and isolation locations and first aid rooms. 3.Face masks with an FFP2 or 3 or N95 rating when available in isolation rooms. 4.Fluid resistant surgical mask available in first aid rooms and classrooms. 5.Face visors or safety goggles available in isolation locations and first aid rooms. 6.Disposable aprons available in isolation locations and first aid rooms. 7.Replenishment of stocks of hand sanitising gel, liquid soaps and PPE.	Ensure stocks of items are in good supply and not at risk of running out	Office Site Manag er	By Speteme br	2	4	MEDIUM



Reopening for the autumn term. Safely reoccupying buildings	Staff Pupils Visitors Parents Contractors Risk to health and safety from poorly maintained building systems and equipment including heating, water, fire safety exits, emergency lighting, fire alarms, electrical wiring, gas, portable electrical equipment, passenger lifts, ventilation, access and security, catering equipment	5	4	VERY HIGH	1.Wider risk assessments reviewed and updated having considered the implications of coronavirus (COVID-19). 2.Valid test, inspection and maintenance of systems and equipment in place prior to reopening for the autumn term	Deep clean taken place 'Fogging' of school prior to opening All test have taken place and continued weekly checks during the Summer break	Site Manag er SC Cleane rs	Before Sept	1	4	row
Educational visits Transmission / Spread of Germs and Novel Coronavirus (COVID-19) Coronavirus can be passed through close contact with persons infected by the virus. Touching surfaces contaminated with the virus with hands and touching eyes, nose and mouth and eating with contaminated hands.	• Staff • Pupils • Parents Symptoms Continuous cough High temperature (over 37.8 degrees) Loss of, or change to the sense of smell (anosmia) Affects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality	5	4	VERY HIGH	1.Non-overnight domestic educational visits only. 2.Keep children within their consistent group. 3.COVID-secure measures in place at the destination. 4.Full and thorough risk assessments prior to the trip. 5. Obtain and follow wider advice on visiting indoor and outdoor venues.	No overnight visits planned Postponed trips are not due to take place until towards the October half term – individual covid risk assessments will be done on an individual basis to determine viability of the trip	SM SC	Prior to trips	2	4	MEDIUM



Music Transmission / Spread of Germs and Novel Coronavirus (COVID-19) Coronavirus can be passed through close contact with persons infected by the virus. Touching surfaces contaminated with the virus with hands and touching eyes, nose and mouth and eating with contaminated hands.	Staff Pupils Visitors Parents Contractors Symptoms Continuous cough High temperature (over 37.8 degrees) Loss of, or change to the sense of smell (anosmia) Affects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality	5	4	VERY HIGH	1.Physical distancing 2.Playing outside wherever possible 3.Limiting group sizes to no more than 15 when singing, wind and brass instrument playing 4.Positioning pupils back-to-back or side-to-side 5.Avoiding sharing of instruments. 6.Ensuring good ventilation. 7.Avoid singing, wind and brass playing in larger groups such as school choirs and ensembles, or school assemblies. 8.Clean and disinfect instruments between shared use.	Assessment to be read	All	Sept	2	4	MEDIUM
Physical activity Transmission / Spread of Germs and Novel Coronavirus (COVID-19) Coronavirus can be passed through close contact with persons infected by the virus. Touching surfaces contaminated with the virus with hands and touching eyes, nose and mouth and eating with contaminated hands.	Staff Pupils Visitors Parents Contractors Symptoms Continuous cough High temperature (over 37.8 degrees) Loss of, or change to the sense of smell (anosmia) Affects Mild flu symptoms Respiratory infection Breathing difficulties Asthma Fatality	5	4	VERY HIGH	1.Pupils kept in consistent groups use by different individual groups 3.Contact sports avoided. 4.Outdoor sports prioritised where possible is not available. 6.Maximising distancing between pupils. 7.Cleaning/disinfecting of indoor space regularly. 8.Hand washing/sanitising before and after activity. 9.Work with external coaches when safe to do so	Assessment to be read	All	Sept	2	4	MEDIUM



The level of ri	isk is calculated by:	The likelihood	X	The Consequen	ce
Risk rating:		1- Very unlikely 2- Unlikely 3- Fairly likely 4- Likely 5- Very likely		1- Insignificant2- Minor3- Moderate4- Major5- Catastrophic	(no injury) (minor injury needing first aid) (up to 3 days absence) (more than 3 days absence) (death)
1 – 4	Low (acceptable)	No further action required			
5 – 9	Medium (adequate)	If risk cannot be lowered any furth	her, consider	r risk against benefit.	Monitor and look to improve at next review
10 – 16	High (tolerable)	Identify further control measures	to reduce ris	k rating. Seek further	advice e.g. line manager, H&S team, etc.

Do not undertake the activity. Implement immediate improvements

Very High (unacceptable)

17 - 25